



**Town of Brookhaven
Building Division**

One Independence Hill, Farmingville, NY 11738
Phone 631-451-6333
Fax 631-451-6341

Oil to Gas Conversion Plan Review Check list

Property address, Plumber's name and contact information.

Boiler (and/ or other appliances if applicable) manufacturer specs with model number marked on it.

Gas riser required by licensed plumber (or homeowner if homeowner doing the work)

Clarify boiler location (at unfinished basement original location or any other places)

Specify appliances vent type, direct vent per code or chimney liner modified to code compliance and per manufacturer specifications.

Confirm natural gas meter or propane gas with tank size and location on survey
Propane tank larger than 100 gallon requires Fire Prevention Department approval.

Installation per manufacturer specifications and code compliance references shall be noted on plans also;

" Design and installation of oil to gas conversion of boiler is in compliance with 2020 Residential Code of NYS, 2020 Energy Code of NYS, 2020 Mechanical Code of NYS, 2020 Fuel and Gas Code of NYS"

Please be inform that if dwelling has open permit for proposed addition compliance to 2020 Energy Code Manual J and Manual S reports required.

Building Division

Beth Reilly, Esq., Commissioner
Tara McLaughlin, Deputy Commissioner
Angus Graham, Chief Building Inspector

One Independence Hill, Farmingville, NY 11738 / Phone 631-451-6333 / Fax 631-451-6341
www.brookhavenny.gov